



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
DETROIT DIESEL								
9	DD/009	8V-92TT 8V-92TTA 12-92TT 12V-92TTA 16V-92TT 16V-92TTA	8 8 12 12 16 16	122.936	WS-543H			
10	DD/010	S 50 / S 60		130.000				235233920
11	DD/011	S 50 / S 60		130.000				8929442

DORMAN								
1	DN/001	23C	4	84.176	SJ235800			
2	DN/002	LC2,3,4,5,6 (WL) Direct Injection	2, 3, 4, 5, 6	127.000	SJ433601V1			
3	DN/003	LC2,3,4,5,6 (WL) Non-Turbo	2, 3, 4, 5, 6	127.000	SJ351187			
4	DN/004	LC2,3,4,5,6 (WL) Turbocharged	2, 3, 4, 5, 6	127.000	SJ351187			
5	DN/005	LC2,3,4,5,6 (WL) Direct Injection	2, 3, 4, 5, 6	127.000	SJ351187			

DEUTZ (KHD)								
1	DZ/001		4	91.000				
2	DZ/002	F 2 L 1011, F 3 L 1011, F 4 L 1011	2,3,4	91.000			89 423 110	
3	DZ/003	BF 4 L 1011, BF 4 L 1011, Euro1, BF 4 L 1011 FT Euro1	4	91.000			89 423 110	
4	DZ/004	F 2 M 1011 F Euro 1, F 3 M 1011 F Euro 1, F 4 M 1011 F Euro 1,	2,3,4	91.000			89 423 110	
5	DZ/005	FL 1011 F R 2 Diesel, 1366 cm ³ , 22 kW (30 PS) 18.5:1 Hub 105mm Application: Einbaumotor FL 1011 F R 3 Diesel, 2049 cm ³ , 33 kW (45 PS) 18.5:1 Hub 105mm Application: Einbaumotor FL 1011 F R 4 Diesel, 2732 cm ³ , 44 kW (60 PS) 18.5:1 Hub 105mm Application: Einbaumotor	2 3 4	91.000		009 WT 26		
6	DZ/006	BF 4 M 1012 Euro 1, BF 6 M Euro 1	4,6	94.000			89 447 110	
7	DZ/007	812		95.000				
8	DZ/008	BF 4 M 2013 C Euro 3, BF 6 M 2013 Euro 3 BF 6 M 2013 C Euro 3	4,6	98.000			89 830 110	



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
DEUTZ (KHD)								
9	DZ/009	F 1 L 511 D Motor Diesel, 825 cm ³ , 13 kW (17.5 PS) Application: Einbaumotor F 2 L 511 D R 2 Diesel, 1650 cm ³ , 26 kW (35 PS) Application: Einbaumotor	1 2	100.000		099 WR 20		
10	DZ/010	F 3 L 912 D R 3 Diesel, 2826 cm ³ , 34 kW (46 PS), 17:1 Application: D 4000/A, D 4506/A, D 5006/A, D 5206/A, 2002/A, D 4007, D 4507, D 4897, D 5207, DX 50, DX 55, DX 3.20, DX 3.30	3	100.000		099 WR 08 099 WR 28		
11	DZ/011	F 2 L 912 D R 2 Diesel, 1884 cm ³ , 21-28 kW (29-38 PS), 17:1 Application: D 2506, D 3006, D 3607, DX 36 F 3 L 912 D R 3 Diesel, 2826 cm ³ , 26-43 kW (35-58.5 PS), 17:1 Application: D 4006/A, D 4505/A, D 4506/A, D 5006/A, D 5206/A, 2002/A, D 4007, D 4507, D 4897, D 5207, DX 50, DX 55, DX 3.20, DX 3.30 F 4 L 912 D R 4 Diesel, 3768 cm ³ , 43-59 kW (58-80 PS), 17:1 Application: D 5506/A, D 6006/A, D 6206/A, D 6806/A, D 7006/A, D 7206/A, 2003/A, 2003/S, 2004, D 7007, D 7207, DX 4.10, DX 750 F 5 L 912 D R 5 Diesel, 4712 cm ³ , 63-74 kW (86-101 PS), 17:1 Application: DX 85, DX 90 F 6 L 912 D R 6 Diesel, 5652 cm ³ , 59-82 kW (80-112 PS), 17:1 Application: 2005, D 10006/A, D 7506/A, D 8006/A D 9006/A, D 9009/A, DX 110, DX 120, DX 6.10	2 3 4 5 6	100.000		099 WR 08 099 WR 28	89 005 210 89 495 110	
12	DZ/012	F 3 L 913 D R 3 Diesel, 3060 cm ³ , 45 kW (61 PS), 17:1 Application: Einbaumotor F 4 L 913 D R 4 Diesel, 4086 cm ³ , 55 kW (75 PS), 17:1 Application: Einbaumotor	3 4	102.000		099 WR 29		
13	DZ/013	F 3 L 913 D, F 3 L 913 H, F 3 L 913 M R 3 Diesel, 3060 cm ³ , 42-45 kW (57-61 PS), 17:1 Application: D 6007, DX 3.50 F 4 L 913 R 4 Diesel, 4086 cm ³ , 55-64 kW (75-87 PS), 17:1 Application: D 7807, DXY 3.90, DXY 80 F 4 L 913 H, F 4 L 913 M R 4 Diesel, 4086 cm ³ , 55-64 kW (75-87 PS), 17:1 Application: D 7807, DXY 3.90, DXY 80 F 6 L 913 H, F 6 L 913 M R 6 Diesel, 6128 cm ³ , 81-96 kW (110-131 PS), 17:1 Application: D 7807, DX 120, DX 3.50, DX 3.90, DX 6.30	3 4 4 6	102.000		099 WR 29		
14	DZ/014	F 4 L 913 R 4 Diesel, 4086 cm ³ , 18:1 Application: Einbaumotor F 6 L 913 D R 6 Diesel, 6128 cm ³ , 18:1 Application: Einbaumotor	4 6	102.000		099 WR 29		
15	DZ/015	F 4 L 913 R 4 Diesel, 4086 cm ³ , 18.9:1 Application: Einbaumotor F 6 L 913 D R 6 Diesel, 6128 cm ³ , 18.9:1 Application: Einbaumotor	4 6	102.000		099 WR 29		



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
DEUTZ (KHD)								
16	DZ/016	BF 4 L 913 R 4 Diesel, 4086 cm ³ , 64 kW (87 PS), 18:1 Application: Einbaumotor BF 4 L 913 R 4 Diesel, 4086 cm ³ , 64-92 kW (87-125 PS), 18:1 Application: DX 4.70, DX 80.90 BF 6 L 913, BF 6 L 913 C R 6 Diesel, 6129 cm ³ , 131 kW (178 PS), 15.5:1 Turbo, LLK Application: M 30 M 8 FL, 13006 A, M 160 L 81, M 160 M 13 FL, M 168 M 8 FLL	4 4 6	102.000		099 WR 27		
17	DZ/017	BF 4 L 913 C R 4 Diesel, 4086 cm ³ , 64 kW (87 PS), 18:1 Application: Einbaumotor	4	102.000		099 WR 29		
18	DZ/018	BF 4 L 913 T R 4 Diesel, 4086 cm ³ , 60-78 kW (82-106 PS), 15.5:1 Application: DX 4.50, DX 86 BF 6 L 913 T R 6 Diesel, 6128 cm ³ , 95.5-99 kW (130-135 PS), 15.5:1 Application: Einbaumotor	4 6	102.000		099 WR 29		
19	DZ/019	F 6 L 913 D R 6 Diesel, 6128 cm ³ , 81-96 kW (110-132 PS), 17:1 Application: D 7807, DX 120, DX 3.50, DX 3.90, DX 6.30	6	102.000		099 WR 29		
20	DZ/020	TD 226-6	6	105.000		88 635 190 S/F 89 197 110		
21	DZ/021	A 2 L 514, F 2 L 514 R 2 Diesel, 2660 cm ³ , 22 kW (30 PS) Application: Einbaumotor F 1 L 514 Motor Diesel Application: Einbaumotor F 12 L 614 V 12 Diesel Application: Einbaumotor F 3 L 514 R 3 Diesel, 3990 cm ³ , 33 kW (45 PS) Application: Einbaumotor F 4 L 514 R 4 Diesel, 5322 cm ³ , 44-63 kW (60-86 PS) Application: Einbaumotor F 6 L 514 V 6 Diesel Application: Einbaumotor F 6 L 614 V 6 Diesel, 7980 cm ³ , 92 kW (125 PS) Application: Einbaumotor F 8 L 614 V 8 Diesel Application: Einbaumotor	2 1 12 3 4 6 6 8	110.000		101 WR 02		



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
DEUTZ (KHD)								
22	DZ/022	<p>F 10 L 413 L V 10 Diesel, 14700 cm³, 198-225 kW (269-306 PS), 18.5:1 Application: Einbaumotor</p> <p>F 12 L 413 L V 12 Diesel, 17640 cm³, 269-367 kW (366-499 PS), 18.5:1 Application: 270 D, 310 D, 340 D</p> <p>F 6 L 413 L V 6 Diesel, 8820 cm³, 137 kW (186 PS), 18.5:1 Application: Einbaumotor</p> <p>F 8 L 413 L V 8 Diesel, 11760 cm³, 179 kW (243 PS), 18.5:1 Application: Einbaumotor</p> <p>A 6 L 413 V 6 Diesel, 8480 cm³, 120-130 kW (163-177 PS), 18:1 Application: 120, 170</p>	10 12 6 8 6	120.000		101 WR 09		
23	DZ/023	<p>F 10 L 413 F V 10 Diesel, 15945 cm³, 235 kW (320 PS), 18:1 Application: Einbaumotor</p> <p>F 12 L 413 F V 12 Diesel, 19140 cm³, 282 kW (384 PS), 18:1 Application: 192 M 14 FL, 256 D 16 AK, 256 D 16 FL 256 M 19 FL, 256 M 22 FLL, 256 D 26 AK, 256 D 26 U 260 T 117, 260 L 117, 320 M 16 FSL, 320 D 16FS, 320 D 19 AK, 320 D 19 FAK, 320 M 19 FLL, 320 D 26 AK M 2000 R 106, M 2000 R 113, M 2000 R 119, M 260 TR 117, M 320 D 16 FSL, 256 D 16 K</p> <p>F 4 L 413 F, F 4 L 413 FR, F 4 L 413 R R 4 Diesel, 6378 cm³, 83-94 kW (113-128 PS), 18:1 Application: Einbaumotor</p> <p>F 5 L 413 F, F 5 L 413 FR, R 5 Diesel, 7976 cm³, 109-118 kW (148-160 PS), 18:1 Application: Einbaumotor</p> <p>F 6 L 413 F, F 6 L 413 FR, R 6 Diesel, 9572 cm³, 113-141 kW (154-192 PS), 18:1 Application: Einbaumotor</p> <p>F 8 L 413 F V 8 Diesel, 12763 cm³, 173-188 kW (256-256 PS), 18:1 Hub 130mm Application: Einbaumotor</p> <p>F 5 L 413 FRW R 5 Diesel, 19:1 Application: Einbaumotor</p> <p>F 6 L 413 FRW R 6 Diesel, 121 kW (165 PS), 19:1 Application: Einbaumotor</p>	10 12 4 5 6 8 5 6	125.000		101 WR 11 101 WR 13	89 030 110 89 384 110	
24	DZ/024	<p>F 10 L 413 FW V 10 Diesel, 188-202 kW (256-275 PS) Application: Einbaumotor</p> <p>F 12 L 413 FW V 12 Diesel, 225-243 kW (306-330 PS) Application: Einbaumotor</p> <p>F 6 L 413 FW V 6 Diesel, 112-121 kW (152-165 PS) Application: Einbaumotor</p> <p>F 8 L 413 FW V 8 Diesel, 150-162 kW (204-220 PS) Application: Einbaumotor</p>	10 12 6 8	125.000		101 WR 11 101 WR 13	89 030 110 89 384 110	



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
DEUTZ (KHD)								
25	DZ/025	<p>BF 10 L 413 F, BF 10 L 513 C V 10 Diesel, 15945 cm³, 265-294 kW (360-400 PS), 16.5:1 Turbo, LLK Application: 190, 320, 360</p> <p>BF 12 L 413 F, BF 12 L 513 C V 12 Diesel, 19140 cm³, 335-353 kW (456-480 PS), 16.5:1 Turbo, LLK, Motor Nr. 07159125.... Application: N 4620, N 4550, N 4530, N 4520, FKM, FKL, MFS 42, 3000, 3500, 360 D 34 AS</p> <p>BF 6 L 413 F, BF 6 L 513 C V 6 Diesel, 9572 cm³, 112-177 kW (152-241 PS), 16.5:1 Turbo, LLK Application: DX 8.30, DX 2304</p> <p>BF 8 L 413 F, BF 8 L 513 C V 8 Diesel, 12763 cm³, 212-235 kW (288-320 PS), 16.5:1 Turbo, LLK Application: 8000, 190, 250, 260, 290, 320, 360, 2000, 4520, 4530, 4550, 4620</p> <p>BF 6 L 413 FRC, BF 6 L 513 RC V 6 Diesel, 9572 cm³, 160 kW (218 PS), 17.5:1 Turbo, LLK Application: Einbaumotor</p>	10 12 6 8 6	125.000		101 WR 11 101 WR 13	89 030 110 89 384 110	
26	DZ/026	<p>BF 10 L 513 V 10 Diesel, 15945 cm³, 304 kW (413 PS), 16.5:1 Turbo Application: Einbaumotor</p> <p>BF 12 L 513 V 12 Diesel, 19140 cm³, 365 kW (496 PS), 16.5:1 Turbo Application: Einbaumotor</p> <p>BF 6 L 513 V 6 Diesel, 9570 cm³, 182 kW (248 PS), 16.5:1 Turbo Application: Einbaumotor</p> <p>BF 8 L 513 V 8 Diesel, 12763 cm³, 243 kW (330 PS), 16.5:1 Turbo Application: Einbaumotor</p>	10 12 6 8	125.000		101 WR 11 101 WR 13	89 030 110 89 384 110	
27	DZ/027	<p>8210.22.000, 8210.22.101 R 6 Diesel, 13798 cm³, 223.5 kW (304 PS), 15:1 Turbo Application: 190-30</p>	6	137.000		007 WT 24	88 562 110	