



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
FIAT								
1	FT/001	100GC/100GS.000 200B/BF/CF/CZCP	4 4	65.000	21205402			
2	FT/002	100GBC/GBS/GF	4	65.000	21205402			
3	FT/003	100GBC/GL-146A	4	65.000	21205402			
4	FT/004	127A/127A.000	4	65.000	21205402			
5	FT/005	146.AO.000	4	65.000	21205402			
6	FT/006	A112B1.054	4	67.200	O1200702			
7	FT/007	1.2 R 4 Benzin Application: 1200	4	72.000		007 WV 55		
8	FT/008	127AB/AJ/AE	4	76.000	21207702			
9	FT/009	131AB.OA/A.AF	4	76.000	21207702			
10	FT/010	Motor 127 Series 127 A 5.000 R 4 Diesel, 1302 cm ³ , 33 kW (45 PS), 20:1 Application: 127 Panda, Uno Spazio (ARG) M 703 AA 13.0 R 4 Diesel, 1302 cm ³ , 33 kW (45 PS), 21:1 Application: 127 Panda, Uno Spazio (ARG)	4	76.000		007 WV 41 007 WV 69	89 160 190	
11	FT/011	131A7/B./B7.000	4	76.050	21207702			
12	FT/012	127A.5000	4	76.050	21231502 21233002			
13	FT/013	127A3.000	4	76.100	21207702			
14	FT/014	115 C 000 R 4 Benzin, 1481 cm ³ , 51-55 kW (70-75 PS), 9:1 Vergaser Application: 1500 115 C 000 R 4 Benzin, 1481 cm ³ , 51.5-60.5 kW (70-82 PS), 9.5:1 Application, Einbaumotor 115 C 003, 115 C 005, 115 C 043 R 4 Benzin, 1481 cm ³ , 55 kW (75 PS), 9:1 Application: 1500 115.000 R 4 Benzin, 1481 cm ³ , 53 kW (72 PS), 8.8:1 Application, Einbaumotor 115.001 R 4 Benzin, 1481 cm ³ , 59 kW (80 PS), 9:1 Application: 1500	4 4 4 4 4	77.000		007 WV 70		
15	FT/015	146B	4	78.000				
16	FT/016	146B.000	4	78.000	21234302			



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
FIAT								
17	FT/017	M 709 AT 13.0, M 709 BT 13.0 R 4 Diesel, 1367 cm ³ , 51-53 kW (70-72 PS), 20:1 Turbo Application: Uno	4	78.000		007 WV 68		
18	FT/018	126A2.000	2	80.000	21224202			
19	FT/019	128A/AC/BB.0A	4	80.000	21204802			
20	FT/020	138A/B.000	4	80.000	21204802			
21	FT/021	132A.B.000	4	80.000	21204002			
22	FT/022	DW8, WJY Euro 2, WJZ Euro 2	4	82.200			89 592 190	
23	FT/023	146 B5.046, 154 D.1000, M705 CA.19, M708 NT.17.L M711 KT.19.0	4	82.600			89 386 190	
24	FT/024	160 A.000, 160 B6.046, 176 A3.000, 230 A3.000 230 A4.000 Euro 2, M707 AT.19.0, M707 CT.19.0,	4	82.600			89 386 190	
25	FT/025	154 B.000, 154 C6.000, M711 AT.19.0	4	82.600			89 386 190	
26	FT/026	Motor 149 Series	4	82.600				
27	FT/027	149B3/B4.000 146 B 2.000, 149 B 3.000, 149 B 4.000, 149 B 4.046 M 705 BA 19.0 R 4 Diesel, 1698 cm ³ , 43-44 kW (58-60 PS), 20:1 Hub 79.2mm Application: Duna, Fiorino, Regata, Ritmo, Tipo, Uno	4	82.600	21233202 21238002	007 WV 44 007 WV 66 007 WV 67 007 WV 54	89 386 190	
		149 A 1.000, 160 A 7.000 R 4 Diesel, 1929 cm ³ , 48 kW (65 PS), 21:1 Hub 90mm Application: Regata DS, Tempra, Tipo	4				89 424 190	
28	FT/028	149 B 1.000 R 4 Diesel, 1930 cm ³ , 51 kW (70 PS), 21:1 Application: Ducato	4	82.600		007 WV 54		
29	FT/029	149 B 1.000 R 4 Diesel, 1930 cm ³ , 51 kW (70 PS), 21:1 Application: Ducato	4	82.600		007 WV 44 007 WV 66 007 WV 67 007 WV 54		
		M 705 FA 19.010 R 4 Diesel, 1930 cm ³ , 51 kW (70 PS), 21:1 Application: Ducato	4					
30	FT/030	160 A 6.000, M 710 AT 19.0 R 4 Diesel, 1929 cm ³ , 59-68 kW (80-92 PS), 19.2:1 Turbo Application: Tempra, Tipo	4	82.600		007 WV 44 007 WV 54		
		TCA 160 R 4 Diesel, 1929 cm ³ , 59-68 kW (80-92 PS), 19.2:1 Turbo Application: Tipo	4					
31	FT/031	160 A 6.000 R 4 Diesel, 1929 cm ³ , 66 kW (90 PS), 19.2:1 Hub 90mm, Turbo, LLK Application: Ducato, Tempra, Tipo	4	82.600		007 WV 44	89 386 190 89 424 190	
		176 A 5.000 R 4 Diesel, 1697 cm ³ , 52 kW (71 PS), 19:1 Hub 90mm, Turbo, LLK Application: Punto	4					
		M 718 AT 19 R 4 Diesel, 1929 cm ³ , 60-68 kW (82-92 PS), 19.2:1 Hub 90mm, Turbo, LLK Application: Ducato, Tempra, Tipo	4					



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
FIAT								
32	FT/032	176 A 5.000, M 708 UT 17.L014 R 4 Diesel, 1697 cm ³ , 51 kW (69 PS), 19:1 Turbo Application: Punto	4	82.600		007 WV 44		
33	FT/033	F 280 A 1.000, M 707 HT 19.0 R 4 Diesel, 1930 cm ³ , 60 kW (82 PS), 20:1 Turbo Application: Ducato	4	82.600		007 WV 44 007 WV 66 007 WV 67 007 WV 54		
34	FT/034	M 705 CA 19 R 4 Diesel, 1930 cm ³ , 44-48 kW (60-65 PS), 21:1 Hub 90mm Application: Tempra, Tipo, Uno	4	82.600		007 WV 54		
		M 705 VA 19.S R 4 Diesel, 1930 cm ³ , 51 kW (70 PS), 21:1 Application: Ducato	4					
		M 708 FA 17 R 4 Diesel, 1697 cm ³ , 43 kW (58 PS), 20.5:1 Hub 79.2mm Application: Eiba Fiorino, Tipo, Uno	4					
35	FT/035	M 711 KT 19 R 4 Diesel, 1930 cm ³ , 69 kW (94 PS), 20:1 Turbo Application: Cromia	4	82.600		007 WV 54		
36	FT/036	M 718 TT 19.L R 4 Diesel, 1929 cm ³ , 60-68 kW (90-92 PS), 19.9:1 Turbo, LLK Application: Ducato, Tempra, Tipo	4	82.600		007 WV 44		
37	FT/037	M 721 R 4 Diesel, 1929 cm ³ , 21:1 Application: Fiorino, Palio, Tipo	4	82.600		007 WV 44		
		M 721 FA 19.L R 4 Diesel, 1929 cm ³ , 42 kW (57 PS) 20.5:1 Application: Eiba, Punto, Tipo, Uno	4					
38	FT/038	831 D 1.000, M 707 CT 19.0 R 4 Diesel, 1929 cm ³ , 59 kW (80 PS) 20:1 Hub 90mm, Turbo Application: Regata DS, Ritmo DS	4	82.600		007 WV 44 007 WV 66 007 WV 67 007 WV 54		
39	FT/039	149A1.000	4	82.600	21231302 21232302			
40	FT/040	138TD.000	4	82.600	21231302 21232302			
		149A1.000	4					
41	FT/041	160A6.000	4	82.600	21231302 21232302			
		280A1.000	4					
42	FT/042	154 B.000	4	82.600	21231302 21232302			
43	FT/043	STRADA, REGATA 1.9TD & TDS R/86, DUCATO 1930D, TALENTO 1930D		82.600	21232302			
44	FT/044	138B6.000	4	83.000		007 WV 42		
		138 A 5.000 R 4 Diesel, 1714 cm ³ , 40-43 kW (55-58 PS) 20.5:1 Application: Ritmo	4			007 WV 53		
		138 B 6.000 R 4 Diesel, 1714 cm ³ , 43 kW (58 PS) 20.5:1 Application: Regata	4					



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
FIAT								
45	FT/045	XUD 9 R 4 Diesel, 1905 cm ³ , 48 kW (65 PS) 23.5:1 Application: Ducato Scudo XUD 9 A R 4 Diesel, 1905 cm ³ , 52 kW (71 PS) 23.5:1 Application: Ducato Scudo	4 4	83.000		039 WV 21	89 154 190	
46	FT/046	138B6.000	4	83.000	21230602 21231602			
47	FT/047	131A1/AF1/B1	4	84.000	2120602			
48	FT/048	132C/D.000	4	84.000	21206102			
49	FT/049	138AR/AR2.000 149A2.000	4 4	84.000	21206102			
50	FT/050	138.AR.000	4	84.000	21206102			
51	FT/051	132A/B/C1/AB.1A	4	84.000	21206102			
52	FT/052	132AZ.2/6132AZ.	4	84.000	21207802			
53	FT/053	132DB.2A/828BC	4	84.000	21207802			
54	FT/054	154A1.000	4	84.000	21207802			
55	FT/055	154A2.000 M 611 CA 20 A/C M 619 AA2.0	4 4 4	84.000	21207802			
56	FT/056	M 601 SA 20.0	4	84.000	21207802			
57	FT/057	834B.000	4	84.000	21207802			
58	FT/058	237 AZ.000	4	85.000	21219002			
59	FT/059	B22.615 4CYL	4	90.000	21219302 21219802 21231102			
60	FT/060	4.203	4	91.480			88 552 110 88 363 190 89 042 190	
61	FT/061	D 4.203 D 3.152	4	91.480			88 552 110 88 363 190 89 042 190	
62	FT/062	8140.61/8140.67 8142.61 8144.61/8144.67/8144.91	4	93.000				



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
FIAT								
63	FT/063	8140.61/8140.67 8142.61 8144.61/9144.67/8144.91	4	93.000				
64	FT/064	8140.21 8140.07 8140.27 8140.97	4	93.000				
65	FT/065	B25/637	4	93.000	CH 2403 100		89 073 190	
66	FT/066	8140.21 8140 21, 8144 21 R 4 Diesel, 2445 cm ³ , 68 kW (92 PS) 22:1 Turbo Application: Ducato 14	4	93.000	21233502 21235902	007 WV 46	83 319 190 83 319 191 83 319 192 83 319 193	
67	FT/067	8140.07 / 8140.07 Euro 1, / 8140.07 Euro 2., 8140.27 8140.67	4	93.000			83 319 190 83 319 191 83 319 192 83 319 193	
68	FT/068	8140.27 Euro 1, / 8140.40 Euro 1., 8140.47 Euro 1	4	93.000			83 319 190 83 319 191 83 319 192 83 319 193	
69	FT/069	8140 07.2700 R 4 Diesel, 2499 cm ³ , 55 kW (75 PS) 18:1 Application: Ducato 14, Daily 30, Daily 30.8, Daily 35.8 Daily 40.8 8140 07.3700 Euro 1 R 4 Diesel, 2499 cm ³ , 55 kW (75 PS) 19:1 Application: Ducato 14, Daily 30, Daily 30.8, Daily 35.8 Daily 40.8	4 4	93.000		007 WV 46		
70	FT/070	8140.61 8144.61 8142.61	4 4 4	93.000	21230502 21230702			
71	FT/071	8140 61 R 4 Diesel, 2445 cm ³ , 53 kW (72 PS) 21:1 Hub 90mm Application: 238 E, 30 F8, 32 F8, 35 F8, 40 F8, 900 T, Ducato 13, Ducato 14, 8140 61.300 R 4 Diesel, 2445 cm ³ , 53 kW (72 PS) 21:1 Application: Ducato 8142 61, 8144 61 R 4 Diesel, 2445 cm ³ , 53 kW (72 PS) 22:1 Application: 131, 132, Argenta	4 4 4	93.000		007 WV 39 007 WV 43	89 066 190 89 183 190 89 183 191	



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
FIAT								
72	FT/072	8140 47.2700, 8140 47.2721, 8140 47.2785, Euro 1 R 4 Diesel, 2499 cm ³ , 85 kW (115 PS) 18.5:1 Hub 92mm, Turbo, LLK Application: 35.10, 35.12, 40.12, 49.12, 59.12 8140 47.2711, Euro 1 R 4 Diesel, 2445 cm ³ , 85 kW (115 PS) 18.5:1 Hub 92mm, Turbo, LLK Application: 35.10, 35.12, 40.12, 49.12, 59.12 8140 47.3700 R 4 Diesel, 2499 cm ³ , 80-84.50 kW (109-115 PS) 18.5:1 Hub 92mm, Turbo Application: 35.10, 35.12, 40.12, 49.12, 59.12 8140 47.3700 R 4 Diesel, 2499 cm ³ , 84.50 kW (115 PS) 18.4:1 Turbo, LLK Application: 35.10, 35.12, 40.12, 49.12, 59.12 Einbaumotor	4	93.000		007 WV 46		
73	FT/073	8144 81.200 R 4 Diesel, 2445 cm ³ , 66-74 kW (90-100 PS) 22:1 Turbo Application: Argenta, Croma, Ducato 13, Ducato 14	4	93.000		007 WV 43		
74	FT/074	8144.81.200 8144.91	4	93.000	21230702 21232802			
75	FT/075	8140.27 8140 27.2700 R 4 Diesel, 2499 cm ³ , 76 kW (103 PS) 18.5:1 Turbo Application: 30.10, 40.10, 45.10, Ducato	4	93.000	21233502 21235902	007 WV 46		
76	FT/076	8140.67 / 8144.61 / 8144.81 / 8144.91 / 8144.97 8144 67	4	93.000	21230502 21230702		89 066 190 89 183 190 89 183 191	
77	FT/077	8140 67.2500, 8144 67.2500 R 4 Diesel, 2499 cm ³ , 55 kW (75 PS), 22:1 Application: Croma, Ducato	4	93.000		007 WV 43		
78	FT/078	8140 67.2700, Euro 2 R 4 Diesel, 2499 cm ³ , 62 kW (85 PS), 22:1 Application: Ducato	4	93.000		007 WV 43		
79	FT/079	8140 67 F.3700, Sofim R 4 Diesel, 2499 cm ³ , 60 kW (82 PS), 22:1 Motor-Nr. 2572280.... Application: Ducato	4	93.000		007 WV 43		
80	FT/080	8144.97	4	93.000	21233502 21235902			
81	FT/081	8144 97.2200 R 4 Diesel, 2499 cm ³ , 87 kW (118 PS), 22.5:1 Turbo, LLK Application: Croma	4	93.000		007 WV 43		
82	FT/082	8144 97.2400 R 4 Diesel, 2445 cm ³ , 87 kW (118 PS), 22.5:1 Turbo, LLK Application: Croma, Thema	4	93.000		007 WV 43		
83	FT/083	8140.23 Euro 1 8140.43 Euro 1, 8140.43 Euro 3	4	94.400			89 502 190	
84	FT/084	8140 43B.4300 Sofim, Euro 3 R 4 Diesel, 2798 cm ³ , 77 kW (105 PS), 18:1 Application: 35 S11, 35 S9, 35 C11, 35 C9, 50 C11	4	94.400		007 WV 56		



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
FIAT								
85	FT/085	8140 43S.4000 Sofim, Euro 3 R 4 Diesel, 2798 cm ³ , 92 kW (125 PS), 18.5:1 Turbo, LLK Application: Ducato	4	94.400		007 WV 56		
86	FT/086	8140 23.3700, 8140 43.3700, 8140 43.3728, Euro 2 R 4 Diesel, 2798 cm ³ , 77-85 kW (105-115 PS), 18.5:1 Turbo, LLK Motor-Nr....2572279 Application: 35.12, 59.12, Daily 49.12, Ducato	4	94.400		007 WV 56		
87	FT/087	8140 63.2200, Sofim, Euro 2 R 4 Diesel, 2798 cm ³ , 63 kW (85 PS), 21.7:1 Application: 30.8 New Daily, 35.8 New Daily, Ducato	4	94.400		007 WV 56		
88	FT/088	8140 23.3700, 8140 43.3728, Euro 2 R 4 Diesel, 2798 cm ³ , 77-85 kW (105-115 PS), 18.5:1 Turbo, LLK Motor-Nr. 2572280... Application: 35.12, 59.12, Daily 49.12, Ducato 8140 43.3700, Euro 2 R 4 Diesel, 2798 cm ³ , 85 kW (115 PS), 18.5:1 Turbo, LLK Motor-Nr. 2572280... Application: 35.12, 59.12, Daily 49.12, Ducato Sofim Euro 2 R 4 Diesel, 2798 cm ³ , 85 kW (115 PS), 18.5:1 Turbo, LLK Motor-Nr. 2572280... Application: Ducato	4 4 4	94.400		007 WV 56		
89	FT/089	T / DAILY EURO		94.400	89502190			
90	FT/090	8025.02 80230.02/8035.02 8040.02/8045.02 8060.02/8060.12/8065.02	2 3 4 6	100.000				
91	FT/091	8025.02 R 2 Diesel, 1728 cm ³ , 24 kW (33 PS), 17:1 Application: 300, 350, 350 c 8030.02 R 3 Diesel, 2592 cm ³ , 33-46 kW (45-63 PS), 17:1 Application: 616 N3, AD4, FL 4C 8035.02 R 3 Diesel, 2592 cm ³ , 33-46 kW (45-63 PS), 17:1 Application: 400, 440, 446, 450, 455, 466, 470, 474, 488, 500, 505, 540, 480, 440 DAL, 465 C, 465 CV, 465 F, 480 S, 480 8, 500 S, 505 C, 455 C, 455 CS, 540 S, FL 4C, AD 4., 465 8040.02 R 4 Diesel, 3456 cm ³ , 44-60 kW (60-82 PS), 17:1 Application: 40 NC, 40.35, 49 NC, 50 A1, 50 NC-A, 55 NC 616 N3, 616 N4, 625 N3 A-B-C, 65 PC 8045.02 R 4 Diesel, 3456 cm ³ , 44-60 kW (60-82 PS), 17:1 Application: 600, 640, 605 C, 605 CS, 665, 665 C, 670 670 F, 680, TL 5 8060.02 R 6 Diesel, 5184 cm ³ , 74-90 kW (101-122 PS), 17:1 Application: 100 NC-B, 110 NC-B, 110 NR-B, 110 NT, 110 PC, 300 N, 314/3, 645 N3, 650 N3, 655 N3, 662 N3, 672 NA-B-C, 75 P, 75 PC, 80 NC-A, 90 NC-A, 90 P, 90 PC, 90 PS 8065.02 R 6 Diesel, 5187 cm ³ , 74-90 kW (101-122 PS), 17:1 Application: 1000, 980	2 3 3 4 4 6 6	100.000		007 WV 09 007 WV 10 007 WV 29 007 WV 64 007 WV 65		



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
FIAT								
92	FT/092	8025.02 R 2 Diesel, 1728 cm ³ , 24 kW (32 PS), 17:1 Application: 300, 350, 350 c 8030.02 R 3 Diesel, 2592 cm ³ , 45.2 kW (61.5 PS), 17:1 Application: 616 N3 8035.02 R 3 Diesel, 2592 cm ³ , 45.2 kW (61.5 PS), 17:1 Application: 355 C, 450 DAL, 455 C, 455 CS, 480 8DAL 540 S, 480, 480 S, 500, 500 S, 505 C, 540 8040.02 R 4 Diesel, 3456 cm ³ , 60 kW (81 PS), 17:1 Application: 616 N3, 616 N4, 40 NC, 625 N3, 50 NC-A, 65 PC, 50 A1, 40.35, 49 NC 8045.02 R 4 Diesel, 3456 cm ³ , 60 kW (81 PS), 17:1 Application: 600, 605 C, 605 LS, 640, 680, 670 8060.02 R 6 Diesel, 5184 cm ³ , 90 kW (122 PS), 17:1 Application: 90 PC, 110 NT, 110 PC, 672 NA-B-C 645 N3, 650 N3, 655 N3, 662 N3, 80 NC-A, 100 NC-B, 110 NC-B, 110 NR-B, 314/3, 75 P, 75 PC, 900 PS, 300 N 8065.02 R 6 Diesel, 5184 cm ³ , 74-90 kW (101-122 PS), 17:1 Application: 1000, 980	2	100.000		007 WV 09	88 631 190 88 631 192	
93	FT/093	8035.06 8035.06 R 3 Diesel, 2710 cm ³ , 40 kW (55 PS), 17:1 Application: 54, 56 8045.06 8045.06 R 4 Diesel, 3613 cm ³ , 48 kW (65 PS), 17:1 Application, Einbaumotor 8065.06 8065.06 R 6 Diesel, 5818 cm ³ , 74 kW (100 PS), 17:1 Application, Einbaumotor	3	100.000		007 WV 47	89 608 190	
94	FT/094	8040.02 R 4 Diesel, 3456 cm ³ , 17:1 Application: 40 NC, 35 C	4	100.000		007 WV 09		
95	FT/095	8065.06 R 6 Diesel, 5418 cm ³ , 74 kW (100 PS), 17:1 Application, Einbaumotor	6	100.000		007 WV 47		
96	FT/096	4.248	4	101.054			88 587 190 89 022 190	
97	FT/097	6.372 / 6.372.4	6	101.054			88 587 190 89 022 190	



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.	
FIAT									
98	FT/098	<p>8031.04/8035.04 8031.04 R 3 Diesel, 2749 cm³, 37-38 kW (50-52 PS), 17:1 Application: Benfra 215, FL 4</p> <p>8035.04 R 3 Diesel, 2748 cm³, 40-43 kW (54-58 PS), 17:1 Application: 588, 505 CS, 565 C, 566, 570, 580, R 8056</p> <p>8040.04/8041.04/8045.04 8040.04 R 4 Diesel, 3666 cm³, 63 kW (85 PS), 17:1 Application: 65 PC, 50.8, 55.8, 60.8, 66.18 B</p> <p>8041.04 R 4 Diesel, 3666 cm³, 45-57 kW (61-78 PS), 17:1 Application: 765 C, 766 D, 766 DT, 780 D, 780 DT, 788, 855 C, C 8076, FL 5, FL 7, FR 12, FR 9, R 8076</p> <p>8045.04 R 4 Diesel, 3666 cm³, 45-57 kW (61-78 PS), 17:1 Application: 765 C, 766 D, 766 DT, 780 D, 780 DT, 788, 855 C, C 8076, FE 14, FL 4, FL 5, FL 7, FR 12, FR 9, R 8076</p> <p>8055.04 8055.04 R 5 Diesel, 4583 cm³, 63-66 kW (86-90 PS), 17:1 Application: 880/5, 880 S, 880 DT, 955 C, FR 7</p> <p>8060.04/8060.24/8065.04 8060.04 R 6 Diesel, 5499 cm³, 96-123.5 kW (131-168 PS), 17:1 Application: 100, 100.13, 110 F, 115.00, 315, 410, 766 D, 79, 80, 90, 95, A55F13, A90.13, A90.14, 109.14, 110.14, 115.14, 120.13, 135.14, 315.13, 316.3, 55 F13, 79.13, 79.14, 80.13, 80.14, 110 Einbaumototr</p> <p>8065.04 R 6 Diesel, 5496 cm³, 60-85 kW (82-115 PS), 17:1 Application: 1000, 1000 s, 1180, fl 7</p>	3	103.000		007 WV 40 007 WV 60 007 WV 61 007 WV 62 007 WV 63 007 WV 52	89 080 192 89 080 190 89 080 191 89 195 190		
99	FT/099	<p>8060.24.001 R 6 Diesel, 5500 cm³ Turbo Motor- Nr...739802 Application: 115.17, 135.17, 315.17, 80.16 Einbaumotor</p>	6	103.000		007 WV 40 007 WV 60 007 WV 61 007 WV 62 007 WV 63 007 WV 52	89 080 190 89 080 191 89 080 192		
100	FT/100	<p>8060.24.001 R 6 Diesel, 5500 cm³ Turbo Motor- Nr...739803 Application: 115.17, 135.17, 315.17, 80.16 Einbaumotor</p>	6	103.000		007 WV 40 007 WV 60 007 WV 61 007 WV 62 007 WV 63 007 WV 52			
101	FT/101	<p>8065.24 R 6 Diesel, 5499 cm³, 60-85 kW (82-115 Ps), 17:1 Turbo Application: FR 10, FR 12, FE 18R, 1280 T/1</p>	6	103.000		007 WV 40 007 WV 60 007 WV 61 007 WV 62 007 WV 63 007 WV 52			
102	FT/102	<p>8030.05/8035.05</p> <p>8040.05/8045.05</p> <p>8050.05/8055.05</p> <p>8060.05/8065.05</p>	3 4 5 6	103.000					



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
FIAT								
103	FT/103	8030.05/8035.05 8040.05/8045.05 8050.05/8055.05 8060.05/8065.05	3 4 5 6	104.000				
104	FT/104	8030.05 R 3 Diesel, 2931 cm ³ , 44 kW (60 PS), 17:1 Application: 60.66, 60.90, Einbaumotor 8035.05.000 R 3 Diesel, 2931 cm ³ , 37-43 kW (50-58 PS) Ps, 17:1 Application: 60.66, 60.90, FL 4, Einbaumotor 8040.05 R 4 Diesel, 3908 cm ³ , 59 kW (80 PS), 17:1 Application: 50.65, 80.90, Einbaumotor 8045.05.000 R 4 Diesel, 3908 cm ³ , 52-59 kW (71-80 PS), 17:1 Application: 80.65, 80.66, 80.90, 85.95, 90.90, FB 7, FD 5, FD 7, FE 12, FL 4, FL 5, FL 7, FR 10, FR 7, FR 9, Einbaumotor 8050.05 R 5 Diesel, 4885 cm ³ , 66 kW (90 PS), 17:1 Application: 90.90, Einbaumotor 8055.05.000 R 5 Diesel, 4885 cm ³ , 72 kW (98 PS), 17:1 Application: 90.90, 95.55, Einbaumotor 8060.05.000 R 6 Diesel, 5862 cm ³ , 79-101.5 kW (107-138 PS), 17:1 Application: 115.14, 115.90, 79.14, FD 9, FL 10, Einbaumotor 8065.05.000 R 6 Diesel, 5862 cm ³ , 63-88 kW (86-120 PS), 17:1 hub 115mm Application: 110.90, 115.90, FL 7, FL 7 Einbaumotor	3 3 4 4 5 5 6 6	104.000		007 WV 48	89 326 190 89 326 192	
105	FT/105	8040.05.4990 R 4 Diesel, 3908 cm ³ , 59 kW (80 PS), 17.7:1 Application: Einbaumotor 8060.05.4990 R 6 Diesel, 5861 cm ³ , 100 kW (136 PS), 17.7:1 Application: 60.90, My91, Einbaumotor	4 6	104.000		007 WV 48		
106	FT/106	8040.25B.4200 R 4 Diesel, 3908 cm ³ , 75 kW (102 PS), 17:1 Turbo Application: 75 E12 EuroCargo, 65 E12H EuroCargo 60 E10 EuroCargo, 65 E10 EuroCargo 8040.25R R 4 Diesel, 3908 cm ³ , 105 kW (143 PS), 17.7:1 Turbo Application: 75 E15 EuroCargo, 80 E15 EuroCargo 100 E15 EuroCargo, 120 E15 EuroCargo, 130 E15 EuroCargo, 150 E15 EuroCargo 95 E15 EuroCargo, 85 E15H EuroCargo, 150 E15H EuroCargo	4 4	104.000		007 WV 49		



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
FIAT								
107	FT/107	<p>8040.25.000 R 4 Diesel, 3908 cm³, 74-85 kW (101-115 PS), 17:1 Application: 60.11, 65.12, 75.12, 79.12, 65.11 Einbaumotor</p> <p>8060.25.000 R 6 Diesel, 5862 cm³, 130 kW (177 PS), 17:1 Turbo Application: 110.17, 115.17, 135.17, 145.17, 157.17, 80 E18 EuroCargo Einbaumotor</p> <p>8060.25.080 R 6 Diesel, 5862 cm³, 130 kW (177 PS), 17:1 Turbo Application: 115.17, 135.17, 145.17, 175.17, A135.17 80 E18 EuroCargo Einbaumotor</p> <p>8065.25.080 R 6 Diesel, 5862 cm³, 110 kW (150 PS), 16.5:1 Turbo Application, Einbaumotor</p>	4	104.000		007 WV 48 007 WV 49	89 317 190 89 317 192	
108	FT/108	<p>8040.45.400 R 4 Diesel, 3908 cm³, 100 kW (136 PS), 17:1 Turbo, LLK Application: 60 E14 EuroCargo, 65 E14 EuroCargo, 75 E14 EuroCargo,</p> <p>8060.45.410, 8060.45.600 R 6 Diesel, 5861 cm³, 151 kW (206 PS), 17:1 Turbo, LLK Application: 180 E21, 80 E21, 100 E21, SPR1 My91</p>	4	104.000		007 WV 49		
109	FT/109	<p>8040.45 TCA. Euro 2 R 4 Diesel, 3907 cm³, 85-100 kW (115-136 PS), 17:1 Turbo, LLK Application: Einbaumotor, 65 E14 EuroCargo, 130 E23 EuroCargo,</p> <p>8040.45 5200. Euro 2 R 4 Diesel, 3907 cm³, 84-100 kW (114-136 PS), 18:1 Turbo Application: Einbaumotor</p> <p>8040.45.5200, 8040.45.5201, 8040.45.5203 8040.45.5280, 8040.45.5281, Euro 2 R 4 Diesel, 3907 cm³, 100 kW (136 PS), 18:1 Application: 67 E14 EuroCargo, 75 E14 EuroCargo, 75 E14 EuroFire</p> <p>8040.45D.5100, 8040.45D.5101, 8040.45D.5103 8040.45D.5105, Euro 2 R 4 Diesel, 3907 cm³, 85 kW (116 PS), 18:1 Application: 67 E12 EuroCargo, 75 E12 EuroCargo,</p> <p>8040.D.5100 R 4 Diesel, 3907 cm³, 85-100 kW (115-136 PS), 18:1 Turbo Application: Einbaumotor</p> <p>8060.45 TCA , Euro 2 R 6 Diesel, 5861 cm³, 130-152 kW (177-207 PS), 17:1 Turbo, LLK Application: Einbaumotor 65 E14 EuroCargo, 130 E23 EuroCargo</p> <p>8060.45.5200, Euro 2 R 6 Diesel, 5861 cm³, 130-152 kW (177-207 PS), 18:1 Turbo Application: Einbaumotor 65 E14 EuroCargo, 130 E23 EuroCargo</p> <p>8060.45.5200, 8060.45.5201, 8060.45.5203 8060.45.5205, Euro 2 R 6 Diesel, 5861 cm³, 151 kW (206 PS), 18:1 Application: 100 E21 EuroCargo, 180 E21 EuroCargo 80 E21 EuroCargo</p> <p>8060.45.5220, 8060.45.5221, 8060.45.5223 R 6 Diesel, 5861 cm³, 151 kW (206 PS), 18:1 Application: 150 E21H EuroCargo</p>	4	104.000		007 WV 49	89 317 192 89 317 190	



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
FIAT								
110	FT/110	<p>8060.45.5232, 8060.45.5233, 8060.45.5234 8060.45.5235 R 6 Diesel, 5861 cm³, 151 kW (206 PS), 18:1 Application: 120 EL21 EuroCargo 8060.45.5250, 8060.45.5251, 8060.45.5255 R 6 Diesel, 5861 cm³, 151 kW (206 PS), 18:1 Application: 95 E21 EuroCargo 8060.45.B.5100 R 6 Diesel, 5861 cm³, 130-152 kW (177-207 PS), 18:1 Turbo, Application: Einbaumotor 8060.45B.5100, 8060.45B.5101, 8060.45B.5103, 8060.45B.5105 R 6 Diesel, 5861 cm³, 130 kW (177 PS), 18:1 Application: 100 E18 EuroCargo, 80 E18 EuroCargo 8060.45B.5111, 8060.45B.5112, 8060.45B.5113, R 6 Diesel, 5861 cm³, 130 kW (177 PS), 18:1 Application: 120 E18 EuroCargo, 120 EL18 EuroCargo 130 E18 EuroCargo, 150 E18 EuroCargo 8060.45B.5120, 8060.45B.5121, 8060.45B.5123, 8060.45B.5124 R 6 Diesel, 5861 cm³, 130 kW (177 PS), 18:1 Application: 170 E18 EuroCargo 8060.45B.5145, 8060.45B.5146 R 6 Diesel, 5861 cm³, 130 kW (177 PS), 18:1 Application: 100 E18 EuroCargo, 80 E18 EuroCargo 85 E18 EuroCargo, 95 E18 EuroCargo 8060.45B.5150, 8060.45B.5151 R 6 Diesel, 5861 cm³, 130 kW (177 PS), 18:1 Application: 135 E18 EuroCargo, 80 E18 EuroCargo 85 E18 EuroCargo, 95 E18 EuroCargo 8060.45B.5185, 8060.45B.5186 R 6 Diesel, 5861 cm³, 130 kW (177 PS), 18:1 Application: 95 E18W EuroFire 8060.SRC21A001 R 6 Diesel Application: 200 E8.13 EuroPolis 8060.SRC22L003 R 6 Diesel Application: 200 E9.15 EuroPolis</p>	6	104.000		007 WV 49		
111	FT/111	<p>8040.25 8060.25/8065.25 8040.25 R 4 Diesel, 3906 cm³, 85 kW (115 PS), 17.7:1 Turbo Application: 75 E12 EuroCargo, 60 E12 EuroCargo 65 E12 EuroCargo, 60 E12H EuroCargo 8060.25 R 6 Diesel, 5892 cm³, 129 kW (176 PS), 17.7:1 Turbo Application: 80 E18 EuroCargo, 100 E18 EuroCargo 120 E18 EuroCargo, 130 E18 EuroCargo 150 E18 EuroCargo, 175 E18 EuroCargo 135 E18 EuroCargo, 150 E18H EuroCargo 315 S, 316 S</p>	4 6 4 6	104.000		007 WV 49		
112	FT/112	<p>8045.25.310 R 4 Diesel, 3908 cm³, 63 kW (86 PS) Application: Ducato</p>	4	104.000		007 WV 48	89 326 190 89 326 192	
113	FT/113	<p>8045.25.370, 8045.25.375, 8045.25.376, 8045.25.381 8045.25K.213, 8045.25K.214, 8045.25K.215 R 4 Diesel, 3908 cm³, 63-80 kW (86-109 PS), 17:1 Application: Einbaumotor 8065.25.083, 8065.25.230, 8065.25.320 R 6 Diesel, 5862 cm³, 105-110 kW (143-150 PS), 17:1 Application: Einbaumotor</p>	4 6	104.000		007 WV 48		



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
FIAT								
114	FT/114	8060.45.5000 Euro 2 R 6 Diesel, 5858 cm ³ , 104 kW (141 PS), 18:1 Application: Einbaumotor	6	104.000		007 WV 49		
115	FT/115	8060.45.TCA Euro 2 R 6 Diesel, 5861 cm ³ , 167 kW (227 PS), 17:1 Turbo, LLK Application: Einbaumotor, 120 E48 EuroCargo	6	104.000		007 WV 49		
116	FT/116	8060.45.7200 Euro 2 R 6 Diesel, 5858 cm ³ , 104-167 kW (141-227 PS), 18:1 Turbo, LLK Application: Einbaumotor	6	104.000		007 WV 49		
117	FT/117	8065.05.330 R 6 Diesel, 5862 cm ³ , 73 kW (99 PS), 18:1 Application: Einbaumotor		104.000		007 WV 48		
118	FT/118	8040.25 8060.25/8065.25	4 6	104.000				
119	FT/119	8210 8215	6	137.000				

FIAT ALLIS								
1	FA/001	8035.01 8045.01	3 4	95.000	21214802			
2	FA/002	8035.02 8045.02	3 4	100.000	21215702			
3	FA/003	220/8200.1	6	120.000	21212102			
4	FA/004	8205.02 8200.02.00, 8200.02.200 A, 8200.12.004, 8205.02 R 6 Diesel, 9800 cm ³ , 140-147 kW (190-200 PS), 16.7:1 Application: 150 C, 308, 309, 331, 343, 409, 418, 420, 684 N, 684 NP, 684 NT, 984 T, 684 TP, 690 N4, AD 14, BD 14, FL 14	6	122.000	21216002	007 WT 13		
5	FA/005	8215.02	6	137.000	21215902			
6	FA/006	8215.22.520	6	137.000	21215902			

FIAT IVECO								
1	FI/001	8140.21	4	93.000	21233502 21235902 21235002			
2	FI/002	8140.61	4	93.000	21230502 21230702			
3	FI/003	8140.07	4	93.000	21233502 21235902			
4	FI/004	8140.27	4	93.000	21233502 21235902			
5	FI/005	8140.27.213	4	93.000	21233502 21235902			
6	FI/006	802.000, 8020.01, 8025.01, 803.000, 8030.01, 8035.01, 804.000, 8040.01, 8045.01, 806.000, 8060.01, 8065.01	2,3,4,6	95.000			88 593 190	

This document was created with Win2PDF available at <http://www.win2pdf.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.
This page will not be added after purchasing Win2PDF.