


















| S.NO. | REF. NO. | MODEL AND DESCRIPTION | CYL | REF. NO. | CYL. DIA. (IN MM) | PISTON | | RING SIZE (IN MM) | PIN DIA. X LENGTH (IN MM) |
|-------------|----------|--|------------------|--------------------|-------------------|----------------|-------------------------------------|--------------------|---------------------------|
| | | | | | | LENGTH (IN MM) | COMP. DIST. (IN MM) | | |
| HATZ | | | | | | | | | |
| 1 | PHT/001 | E 71, E 75, ES 71, ES 75  | 1 | MH. NO. -273 04 00 | 75.000 | 79.500 | 48.500 1.150 1.500 | 2-1.750 1-4.000 | 25.00 X 64.00 |
| 2 | PHT/003 | E 80  | 1 | KS NO. -91 468 600 | 80.000 | 92.000 | 56.000 | 2-2.000 1-4.000 | 30.00 X 66.00 |
| 3 | PHT/003 | E 88, E 89.FG, FL, G Application: TL11, TL 12, TL 13, H 113  | 1 | MH. NO. -273 22 00 | 90.000 | 103.500 | 53.500 8.800 28.000 | 2-2.000 1-4.000 | 30.00 X 78.00 |
| 4 | PHT/004 | D 108 E 108 V 108 Z 108  | 3 1 4 2 | MH. NO. -273 35 02 | 108.000 | 109.000 | 71.000 0.900 20.000 55.000 | 3-3.000 1-5.000 | 35.00 X 85.00 |








| | | | | | | | | | |
|-------------|---------|--|---|---|---------|---------|-----------------------------|-------------------------------|----------------|
| HINO | | | | | | | | | |
| 1 | PHI/001 | EK100 DIESEL  | 6 | OE NO. -13216-1224 OE NO. -13216-1222 OLD OE NO. -13216-1220A ALFIN OE NO. -13216-1530A AE NO. -A350440 | 137.000 | 145.400 | 90.200 -2.200 -31.700 | 1-3.306 2-3.500 1-6.000 | 50.00 X 110.00 |

| | | | | | | | | | |
|--------------|---------|-----------------------|---|--|--------|--------|--|--|--|
| HONDA | | | | | | | | | |
| 1 | PHN/001 | 39MM | | | 39.000 | | | | |
| 2 | PHN/002 | 44MM | | | 44.000 | | | | |
| 3 | PHN/003 | 46MM | 1 | | 46.000 | 43.000 | | | |
| 4 | PHN/004 | EM-500/600/650 | | | 46.000 | | | | |
| 5 | PHN/005 | C-75 | | | 47.000 | | | | |
| 6 | PHN/006 | EGK-600 | | | 48.000 | | | | |
| 7 | PHN/007 | 50MM | | | 50.000 | | | | |
| 8 | PHN/008 | GK-100 (2CO) | | | 52.000 | | | | |
| 9 | PHN/009 | CG-125 | | | 56.500 | | | | |



| S.NO. | REF. NO. | MODEL AND DESCRIPTION | CYL | REF. NO. | CYL. DIA. (IN MM) | PISTON | | RING SIZE (IN MM) | PIN DIA. X LENGTH (IN MM) |
|-------|---|-----------------------|-----|-----------------------|----------------------|-------------------|------------------------|-------------------------|---------------------------------|
| | | | | | | LENGTH (IN MM) | COMP. DIST. (IN MM) | | |
| HONDA | | | | | | | | | |
| 10 | PHN/010 | GX-110 (ZEO) | 1 | OE NO. -131A-ZEO-000 | 57.000 | 46.100 | 21.500 | 2-1.500 1-2.500 | 13.00 X 46.00 |
| |  | | | | | | | | |
| 11 | PHN/011 | ZH7 HF GX120 | 1 | | 60.000 | 46.000 | 21.000 1.200 | 2-1.500 1-2.500 | 13.00 X 46.00 |
| |  | | | | | | | | |
| 12 | PHN/012 | ZEI GX140 | 1 | OE NO. -13101-ZE1-003 | 64.000 | 53.500 | 23.700 | 2-1.500 1-2.500 | 18.00 X 53.00 |
| |  | | | | | | | | |
| 13 | PHN/013 | G-150 | 1 | | 64.000 | 54.000 | 31.300 | 2-2.000 1-3.000 | 15.00 X 53.00 |
| |  | | | | | | | | |
| 14 | PHN/014 | GE-36 | | | 64.000 | | | | |
| |  | | | | | | | | |
| 15 | PHN/015 | ET1500 G200 | 1 | | 67.000 | 55.800 | 23.600 | 2-2.000 1-3.000 | 15.00 X 53.00 |
| |  | | | | | | | | |
| 16 | PHN/016 | GX160 | 1 | OE NO. -13101-ZF1-010 | 68.000 | 53.400 | 23.500 -4.500 | 2-1.500 1-2.500 | 18.00 X 53.00 |
| |  | | | | | | | | |
| 17 | PHN/017 | GX240 | 1 | OE NO. -13101-ZE2-000 | 73.000 | 58.500 | 25.000 | 2-2.000 1-2.800 | 18.00 X 59.00 |
| |  | | | | | | | | |
| 18 | PHN/018 | G300 H2500 | 1 | OE NO. -13101-889-010 | 76.000 | 65.000 | | 2-2.000 1-4.000 | 16.00 X 56.00 |
| |  | | | | | | | | |
| 19 | PHN/019 | 76MM | 1 | | 76.000 | 65.000 | | 2-2.000 1-4.000 | 16.00 X 56.00 |
| |  | | | | | | | | |



| S.NO. | REF. NO. | MODEL AND DESCRIPTION | CYL | REF. NO. | CYL. DIA. (IN MM) | PISTON | | RING SIZE (IN MM) | PIN DIA. X LENGTH (IN MM) |
|-------------------------------|----------|--|-----|---|-------------------|----------------|-----------------------------|--|---------------------------|
| | | | | | | LENGTH (IN MM) | COMP. DIST. (IN MM) | | |
| HONDA | | | | | | | | | |
| 20 | PHN/020 | GX340 ZE3  | 1 | OE NO. -13101-890-000 | 82.000 | 66.500 | 28.000 | 2-2.000 1-2.800 | 20.00 X 61.00 |
| 21 | PHN/021 | ET3500 G400  | 1 | OE NO. -13101-890-000 | 86.000 | 72.000 | 31.400 | 2-2.500 1-4.000 | 19.00 X 68.00 |
| 22 | PHN/022 | G-400 13101-890-010  | 1 | | 86.000 | 73.000 | 32.000 | 2-2.500 1-4.000 | 19.00 X 68.00 |
| IHC (NAVISTAR) | | | | | | | | | |
| 1 | PIC/001 | 7110 NEW | 8 | | 104.400 | 96.000 | 54.390 -5.700 -17.200 | 1-3.000 1-4.810 1-2.000 1-3.500 | 33.225 X 76.00 |
| 2 | PIC/002 | 445A | 8 | OE NO. -445/7.3L/P1577 | 104.400 | 87.800 | 49.280 -2.500 | 1-3.000 1-2.000 1-3.460 | 28.20 X 68.63 |
| INTERNATIONAL (I.H.C.) | | | | | | | | | |
| 1 | PIN/001 | BC/D144, BD144A  | 4 | AE NO. -238205 | 85.725 | 98.984 | 50.952 | 3-2.375 2-4.737 | 28.00 X 76.81 |
| 2 | PIN/002 | BD154 Application: 238, 364, 384, 414, 424, 444, 2424, 2444  | 4 | AE NO. -481303 KS NO. - 91 415 600 MH. NO. -089 30 00 | 88.900 | 99.009 | 50.965 | 3-2.381 2-4.763 | 28.00 X 76.81 |
| 3 | PIN/003 | D358 Application: 1055, 520, 844, 630, 640, 515, 541, 943, 826 D 179, UD 179 Application: 240, 454, 464, 484, 523, 553, 633, 2400, 4500 D 239 Applikatin: 743, 744, 452, 3500, 182, 013, TD 8 II, 609  | 6 | AE NO. - A350183V1 KS NO. - 92 982 600 MH. NO. -089 65 00 | 98.425 | 107.000 | 67.000 24.000 | 1-3.175 1-2.380 1-4.763 | 36.00 X 82.00 |
| 4 | PIN/004 | 4.212  | 4 | KS NO. -92 085 600 | 98.480 | 127.300 | 76.500 -19.100 59.700 | 2-2.385 2-2.390 1-6.340 | 34.925 X 84.20 |

This document was created with Win2PDF available at <http://www.win2pdf.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.
This page will not be added after purchasing Win2PDF.