









S.NO.	REF. NO.	MODEL AND DESCRIPTION	CYL	REF. NO.	CYL. DIA. (IN MM)	PISTON		RING SIZE (IN MM)	PIN DIA. X LENGTH (IN MM)
						LENGTH (IN MM)	COMP. DIST. (IN MM)		
MERCEDES-BENZ									
1	PMB/001	OM 601.911 Application: 190 D OM 601.912 Application: E 200 D OM 601.913 Application: C 200 D OM 601.915 Application: C 200 D OM 602.911 Application: 190 D 2.5 OM 602.912 Application: 250 D OM 602.930.938 Application: 250 GD (460, 461) OM 602.931 Application: 250 GD (463) OM 602.939 Application: 250 GD (460, 461) OM 602.990 Application: O 405, Bus OM 603.912, 913, 931 Application: 300 D, 300 GD	4 4 4 4 5 5 5 5 5 5 6	KS NO. -94 330 600 MH. NO. -002 93 00	87.000	74.850	44.850 1.050 1.250 9.050 22.150	1-2.500 1-2.000 1-3.000	26.00 X 55.00
2	PMB/002	COMPRESSOR			88.000				
3	PMB/003	OM 401, OM 402, OM 403, OM 404, OM 407, OM 409 OM 421, OM 422, OM 423, OM 424, OM 442	1	KS NO. -90 843 600 MH. NO. -004 15 00	90.000	57.500	35.000	2-2.500 1-4.000	20.00 X 60.00
4	PMB/004	OM 447	1	KS NO. -99 576 600 MH. NO. -004 12 00	90.000	59.400	36.900	2-2.500 1-4.000	20.00 X 60.00
5	PMB/005	OM 616.910 / OM 616.912, 913, 918, 930, 934, 936-940 Application: 100, 207, 307, 240 D, 407, 507, Unimog U6000, 240 GD, MB 100, O 309, Bus OM 617.913, 919, 931, 932 Application: 209, 300 D (USA), 409, 309	4 5	KS NO. -93 444 600 KS NO. -93 444 620 MH. NO. -002 49 02	90.900 91.500	81.850	48.350 1.150 8.850	2-3.000 1-4.000	26.00 X 74.00
6	PMB/006	OM 314, OM 352, OM 352 A, OM 362, OM 364, OM 366, OM 353.904	1	MH. NO. -002 64 00	94.000	52.300	27.000	3-2.500	16.00 X 66.00
7	PMB/007	OM 314.963 Application: 1013, 1113, 1213, 1313, 1413, 1513, 1613, 408, 508, 608, 613, 709, 710, 808, 809, 810, 811,813 OM 353.949 Application: 1013, 1100, 1113, 1213, 1300, 1313, 1413, 1513, 1613, 408, 508, 608, 613, 709, 710, 808, 809, 810 OM 353.968 Application: 1013, 1113, 1213, 1313, 1413, 1513, 1613, 408, 508, 608, 613, 709, 710, 808, 809, 810, 811, 813	4 6 6	KS NO. -90 274 800 MH. NO. -004 45 10	97.000	115.700	65.200 20.000 5.000 55.000	3-3.000 2-5.500	36.00 X 82.50



S.NO.	REF. NO.	MODEL AND DESCRIPTION	CYL	REF. NO.	CYL. DIA. (IN MM)	PISTON		RING SIZE (IN MM)	PIN DIA. X LENGTH (IN MM)
						LENGTH (IN MM)	COMP. DIST. (IN MM)		
MERCEDES-BENZ									
8	PMB/008	OM 352 ENG911 ALFIN 	46		97.000	115.500	65.000 -20.200	1-3.000 2-3.000 2-5.500	36.00 X 82.50
9	PMB/009	OM 402.971 OM 501 LA, OM 502 LA, OM 541 LA, OM 542 LA. 	1	KS NO. -99 849 600 MH. NO. -004 26 00	100.000	52.200	30.400	2-2.500 1-3.000	20.00 X 50.00
10	PMB/010	OM 401 A.905 OM 403.910, 915-919, 930-932, 934 OM 404.900 	6 10 12	KS NO. -92 306 600 MH. NO. -003 45 00	125.000	137.250	87.250 23.500 65.000	2-3.000 1-6.000	46.00 X 97.00
11	PMB/011	OM 355 A.968, 969, 978 Application: 1928 (Export), 2628 (Export) 	6	KS NO. -92 582 600 MH. NO. -003 65 00	128.000	161.060	90.260 2.000 2.200 28.500 70.000	3-3.500 1-6.500	48.00 X 108.00
12	PMB/012	OM 421.900, 905-908, 910 Application: 1222, 1422, 1622, 1922, 2222, O 303, Bus OM 422.900 OM 422.905-915, 917-923 Application: 1625, 1628, 1928, 2025, 2028, 2225, 2228 2525, 2528, 2628, 3025, 3028, 3328, O 303, Bus OM 423.900, 905-900 Application: 1636, 1936, 2036, 2235, 2236, 2536, 2636, 3336, 3836 OM 424.900 	6 8 8 10 12	KS NO. -93 484 602 MH. NO. -003 66 10	128.000	126.350	81.350 24.100 3.000 70.000	2-3.000 1-4.000	46.00 X 99.00
13	PMB/013	OM 441 A.950, 953 Application: O 303 Bus OM 441 LA.951, 960-962, 980-983, 985-988 Application: 1234, 1622, 1628, 1733, 1834, 2433, 2534 OM 442 A.901 OM 442 A.941-946, 950, 952, 954-968, 971, 972, 976 Application: 1735, 2235, 2435, 2535, 2635, 3335, OM 442 LA.951, 953, 980, 982, 983, 985, 989, 992-994 Application: 1644, 1748, 1844, 1944, 2044, 2244, 2448 2544, 2644, 3548. OM 443 A.901, 940 OM 443 A.901, Euro 1 OM 443 LA.901, 980 OM 444 A.901 OM 444 LA.901 	6 6 8 8 8 10 10 10 12 12	MH. NO. -003 76 00		126.350		2-3.000 1-4.000	46.00 X 105.00



S.NO.	REF. NO.	MODEL AND DESCRIPTION	CYL	REF. NO.	CYL. DIA. (IN MM)	PISTON		RING SIZE (IN MM)	PIN DIA. X LENGTH (IN MM)
						LENGTH (IN MM)	COMP. DIST. (IN MM)		
MERCEDES-BENZ									
14	PMB/014	OM 441 A.950, 953 Euro 0 OM 441 LA.951, 960-962, 981-983, 985, Euro 0 Application: 1622, 1628, 1733, 2222, 2433 OM 442 A.941-946, 950, 952, 954-968, 971, 972, 976, Euro 0 Application: 1635, 1735, 2035, 2235, 2435, 2535, 2635, 3235, 3335, 3535, O 303 Bus OM 442 LA.901, Euro 0 OM 442 LA.951-953, Euro 0 Application: 1635, 1735, 2035, 2235, 2435, 2535, 2635, 3235, 3335, 3535, O 303 Bus OM 442 LA.980, 982, 983, Euro 0 Application: 1644, 1748, 1844, 1944, 2044, 2244, 2544, OM 442 LA.985, 989, 992-994, Euro 0 Application: 1644, 1748, 1844, 1944, 2044, 2244, 2544,	6 6 8 8 8 8	MH. NO. -003 91 00	128.000	126.450	81.450 27.500 66.000	2-3.000 1-4.000	46.00 X 105.00
15	PMB/015	OM 443 A.901, 940 OM 443 A.901, Euro 1 OM 443 LA.901, 980 OM 444 A.901 OM 444 LA.901	10 10 10 12 12	MH. NO. -003 91 00	128.000	126.450	81.450 27.500 66.000	2-3.000 1-4.000	46.00 X 105.00
16	PMB/016	OM 441 LA.986-999, Euro 1 Application: 1234, 1733, 1834, 2433, 2534, 3234 OM 442 LA.440.970, 440.972, Euro 1 Application: 1838, 1853, 2038, 2638, 2653, 3538, 3544 OM 442 LA.440.971, 440.973, 440.975, 440.976, Euro 1 Application: 1750, 1850, 2550, 2650, 3250, 4850, 2544 OM 442 LA.440.978, 440.979, Euro 1 Application: 1838, 1853, 2038, 2638, 2653, 3538, 3544 OM 442 LA.995-998, Euro 1 Application: 1735, 1948, 2050, 2435, 2535, 2544, 2550 OM 443 LA.901, Euro 1	6 8 8 8 8 10	MH. NO. -003 93 00	128.000	126.450	81.450 24.500 67.000	2-3.000 1-4.000	46.00 X 105.00
17	PMB/017	OM 441.905-909, 911-920, 923-927, 932, 998 Application: 1622, 1722, 1922, 2222, 2422, O 303 Bus OM 442.440-909, 900, 905-911, 914-930, 932-935, 939 OM 443.900 OM 443.950 OM 444	6 8 10 10 12	KS NO. -90 614 600 MH. NO. -003 78 00	130.000	126.350	81.350 27.200 3.000 60.500	2-3.000 1-4.000	46.00 X 99.00
18	PMB/018	OM 501 LA, Euro 2 Application: 1831, 1835, 1839, 1840, 1843, 2531, 2535, 2539, 2543, Actros OM 502 LA, Euro 2 Application: 1848, 1853, 2548, 2553, Actros OM 541 LA.920-927, Euro 2 Application: 1831, 1835, 1839, 2531, 2535, 2539, Actros OM 542 LA.920-922, 925, Euro 2 Application: 1848, 1853, 2548, 2553, Actros	6 8 6 8	MH. NO. -001 23 00	130.000	123.550	78.550 18.100 88.500	2-3.000 1-4.000	52.00 X 103.00

This document was created with Win2PDF available at <http://www.win2pdf.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.
This page will not be added after purchasing Win2PDF.