























S.NO.	REF. NO.	MODEL AND DESCRIPTION	CYL	REF. NO.	CYL. DIA. (IN MM)	PISTON		RING SIZE (IN MM)	PIN DIA. X LENGTH (IN MM)
						LENGTH (IN MM)	COMP. DIST. (IN MM)		
NISSAN									
11	PNS/011 	FE6 DIESEL	6	OE NO. -12011-Z5615	108.000	103.700	65.500 -11.800 -19.800	1-3.000 1-2.000 1-4.000	36.00 X 94.00
12	PNS/012 	PD6 DIESEL	6	OE NO. -12011-96000 OE NO. -12011-96007	125.000	132.000	82.000 -0.400 -0.800 -14.200 -30.000	1-5.000 1-3.500 1-5.000	46.00 X 108.00
OKTOBAR 14.									
1	POB/001 	3.152 4.203 Application: STV 6, MV 6, MVH 11	3 4	043 23 00	91.480	107.900	57.200	2-2.385 1-3.160 2-6.335	31.75 X 75.30
2	POB/002 	6.354 Application: UB 600, Ratar 90	6	043 26 00	98.480	108.250	70.250 19.950 59.700	3-2.385 2-6.335	38.10 X 82.80
PERKINS									
1	PPR/001 	4.108	4	MH. NO. -043 04 00	79.375	105.600	50.600	1-2.000 2-1.600 2-4.747	26.98 X 68.30
2	PPR/002 	P 3.144 P 4.192 P 6.288 Application: Puma, Python, Panther	3 4 6	MH. NO. -043 18 00	88.925	107.900	57.200	2-2.385 1-3.160 2-6.335	31.75 X 75.30
3	PPR/003 	AD 3.152 AD 4.203	3 4	MH. NO. -043 44 00	91.480	100.600	61.950 18.500 6.400 55.900	2-2.385 1-3.160 1-6.335	31.75 X 75.30
4	PPR/004 	AD 3.152 D 3.152 Application: MF 231, MF 235, MF 238	3 3	MH. NO. -043 24 00	91.480	109.540	61.910 18.400 6.300 55.900	2-2.385 1-3.160 2-6.335	31.75 X 75.00
5	PPR/005 	D 4.203	4	MH. NO. -043 24 00	91.480	109.540		2-2.385 1-3.160 2-6.335	31.75 X 75.00







S.NO.	REF. NO.	MODEL AND DESCRIPTION	CYL	REF. NO.	CYL. DIA. (IN MM)	PISTON		RING SIZE (IN MM)	PIN DIA. X LENGTH (IN MM)
						LENGTH (IN MM)	COMP. DIST. (IN MM)		
PERKINS									
6	PPR/006 	3.152, P 3.152 Application: MF 231, MF 235, MF 238 4.203, P 4.203 6.305, P 6.305 A 3.152 Application: MF 231, MF 235, MF 238	3 4 6 3	MH. NO. -043 23 00	91.480	107.900	57.200	2-2.385 1-3.160 2-6.335	31.75 X 75.30
7	PPR/007 	3.152.2 4.203.2	3 4	MH. NO. -043 20 00	91.480	109.300	61.700 21.900 30.000	2-2.385 1-4.747	31.75 X 75.30
8	PPR/008 	4.212	4	MH. NO. -043 60 00	98.480	127.300	76.500 19.200 59.700	3-2.385 1-6.335	34.92 X 84.10
9	PPR/009 	6.354 V	6	MH. NO. -043 26 00	98.480	120.700	70.100 25.100 54.000	3-2.385 2-6.335	34.92 X 84.10
10	PPR/010 	6.354.2, 6.354.4	6	MH. NO. -043 61 00	98.480	120.700	70.100 25.700 3.200 54.000	1-3.160 2-2.385 2-6.335	34.92 X 84.10
11	PPR/011 	6.354.4	6	MH. NO. -043 62 00	98.480	120.800	69.800 25.600 3.200 54.100	2-2.385 1-4.747	34.92 X 84.10
12	PPR/012 	AD 4.236 D 39 C	4 4	MH. NO. -043 31 00	98.480	108.250	70.250 19.950 61.000	1-3.160 1-2.385 1-4.747	38.10 X 82.80
13	PPR/013 	AD 4.236 D 39 C	4 4	MH. NO. -043 28 00	98.480	121.100	70.300 20.800 61.000	3-2.385 1-6.335	34.92 X 84.10



S.NO.	REF. NO.	MODEL AND DESCRIPTION	CYL	REF. NO.	CYL. DIA. (IN MM)	PISTON		RING SIZE (IN MM)	PIN DIA. X LENGTH (IN MM)
						LENGTH (IN MM)	COMP. DIST. (IN MM)		
PERKINS									
14	PPR/014 	4.236	3		98.476	121.000	70.190 -20.400	3 2.381 1 6.35	34.92 X 84.00
15	PPR/015 	T 4.236, T 4.38	4	MH. NO. -043 03 00	98.480	108.250	70.250 19.950	1-3.160 1-2.385 1-4.747	38.10 X 82.80
16	PPR/016 	4.236	4	MH. NO. -043 46 00	98.480	108.250	70.250 19.950	1-3.160 1-2.385 1-4.747	38.10 X 82.80
17	PPR/017 	4.236	4	MH. NO. -043 48 00	98.480	108.250	70.250 19.950 61.000	1-3.160 1-2.385 3-4.747	38.10 X 82.80
18	PPR/018 	6.354	6	MH. NO. -043 47 00	98.480	108.250	70.250 19.950	1-3.160 1-2.385 1-4.747	38.10 X 82.80
19	PPR/019 	6.354	6	MH. NO. -043 51 00	98.480	108.250	70.250 19.950	1-3.160 1-2.385 1-4.747	38.10 X 82.80
20	PPR/020 	6.354.4	6	MH. NO. -043 02 00	98.480	120.600	69.800 23.870	2-2.385 1-4.747	34.92 X 84.10
21	PPR/021 	6.372	6	MH. NO. -043 66 00	101.054	121.000	70.200 26.000 54.000	3-2.385 1-6.335	34.92 X 84.10



S.NO.	REF. NO.	MODEL AND DESCRIPTION	CYL	REF. NO.	CYL. DIA. (IN MM)	PISTON		RING SIZE (IN MM)	PIN DIA. X LENGTH (IN MM)
						LENGTH (IN MM)	COMP DIST. (IN MM)		
PERKINS									
22	PPR/022	4.248	4	MH. NO. -043 30 10	101.054	121.000	70.200 21.000 3.200 61.500	3-2.385 1-6.335	34.92 X 84.10
23	PPR/023	4.248.2	4	MH. NO. -043 67 00	101.054	121.240	70.440 24.440 39.500	2-2.500 1-5.000	34.92 X 84.10
24	PPR/024	4.248	4	MH. NO. -043 71 00	101.054	121.000	70.200 21.000 61.450	2-2.500 1-5.000	34.92 X 84.10

PEUGEOT									
1	PPG/001	TU 9, TU 9 M, TU P Z Application: 105, 205 	4	KS NO. -89 438 110 MH. NO. -039 60 00	70.000	58.000	30.900	2-1.500 1-3.000	18.00 X 53.00
2	PPG/002	XW 7 Application: 104, 205 	4	KS NO. -90 052 600 MH. NO. -039 58 00	72.000	73.700	40.050 4.200	1-1.500 1-2.000 1-4.000	19.50 X 62.00
3	PPG/003	TU 1 K Application: 106, 205, 306, 309 TU 1 M Application: 106, 205, 306, 309, Partner TU 1 Z Application: 106, 205, 306, 309, Partner 		KS NO. -91 390 600 MH. NO. -039 59 00	72.000	67.000	40.000 3.000	1-1.500 1-2.000 1-3.000	19.50 X 62.00
4	PPG/004	161 A Application: 205, 309, 305 XUD 7 Application: 205, 309, 305 	4 4	MH. NO. -039 78 00	80.000	84.500	46.800 2.000	2-2.000 1-3.000	25.00 X 69.80

This document was created with Win2PDF available at <http://www.win2pdf.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.
This page will not be added after purchasing Win2PDF.